Journal of Immunological Methods, 153 (1992) 268–269
© 1992 Elsevier Science Publishers B.V. All rights reserved 0022-1759/92/$05.00

Contents to volume 153 (1992)

Numbers 1,2 – 30 August 1992

Obituary 1

Editorial 5

Research reports

In vivo immunosorption – a method for the examination of hormone heterogeneity at low plasma concentrations. Application to progastrin and its products
J.F. Rehfeld (Denmark) 7

New parental cell lines for generating human hybridomas
T. Hundhausen, R. Laus and W. Müller-Ruchholtz (Germany) 21

A comparison of commercially available adjuvants for use in research
B. Bennett, I.J. Check, M.R. Olsen and R.L. Hunter (USA) 31

A monoclonal antibody-based enzyme immunoassay for human GMP-140/P-selectin
M. Katayama, M. Handa, H. Ambo, Y. Araki, S. Hirai, I. Kato, Y. Kawai and K.W.Y. Ikeda (Japan) 41

Increased production of antigen-specific B lymphocytes during in vitro immunization using carrier-specific T helper hybridomas
B.M. Schilizzi, B.-J. Kroesen, T.H. The and L. De Leij (Netherlands) 49

Apoptosis in interleukin-3-dependent haemopoietic cells. Quantification by two flow cytometric methods
M.G. Ormerod, M.K.L. Collins, G. Rodriguez-Tarduchy and D. Robertson (UK) 57

Detection of lipopolysaccharide (LPS) and identification of its serotype by an enzyme-linked immunosorbent assay (ELISA) using poly-L-lysine
K. Takahashi, M. Fukada, M. Kawai and T. Yokochi (Japan) 67

An improved and rapid method for the isolation of rat lymph node or spleen T lymphocytes for T cell proliferation assays
C.E.G. Havenith, A.J. Breedijk, M.A.M. Verdaasdonk, E.W.A. Kamperdijk and R.H.J. Beelen (Netherlands) 73

A simple standardised protocol for the production of monoclonal antibodies against viral and bacterial antigens
P.V. Coyle, D. Wyatt, C. McCaughey and H.J. O'Neill (UK) 81

A monoclonal antibody recognising an epitope associated with pig interleukin-2 receptors
M. Bailey, K. Stevens, P.W. Bland and C.R. Stokes (UK) 85

A cleavable biotinylating agent and its use in protein electroblots
M.J. Hobart, B.A. Fernie and P.J. Lachmann (UK) 93

Determination of IgE antibodies to the benzyl penicilloyl determinant. A comparison between poly-L-lysine and human serum albumin as carriers
M. Blanca, C. Mayorga, E. Perez, R. Suau, C. Juarez, J.M. Vega, M.J. Carmona, M. Perez-Estrada and J. Garcia (Spain) 99

Amplified ELISPOT assay for the detection of HIV-specific antibody-secreting cells in subhuman primates
K. Eriksson, I. Nordström, P. Horal, S. Jeansson, B. Svennerholm, A. Vahlne, J. Holmgren and C. Czerkinsky (Sweden) 107

Measuring cytokine levels in blood. Importance of anticoagulants, processing, and storage conditions
P.W. Thavasu, S. Longhurst, S.P. Joel, M.L. Slevin and F.R. Balkwill (UK) 115

Influence of collection and separation of blood samples on plasma IL-1, IL-6 and TNF-α concentrations
P. Riches, R. Gooding, B.C. Millar and A.W. Rowbottom (UK) 125

A simple and economical strategy for downstream processing of specific antibodies to human transferrin from egg yolk
V. Ntakarutimana, P. Demedts, M. Van Sande and S. Scharpé (Belgium) 133

Cellular enzyme-linked immunocircle assay. A rapid assay of hybridomas produced against cell surface antigens
P. Balogh, Z. Bebök and P. Németh (Hungary) 141

The measurement of transforming growth factor type β (TGFβ) levels produced by peripheral blood mononuclear cells requires the efficient elimination of contaminating platelets
J. Merino, J.A. Casado, J. Cid, A. Sánchez-Ibarrola and M.L. Subirá (Spain) 151

Journal of Immunological Methods, 153 (1992) 268–269
© 1992 Elsevier Science Publishers B.V. All rights reserved 0022-1759/92/$05.00

Contents to volume 153 (1992)

Numbers 1,2 – 30 August 1992

Obituary 1

Editorial 5

Research reports

In vivo immunosorption – a method for the examination of hormone heterogeneity at low plasma concentrations. Application to progastrin and its products
J.F. Rehfeld (Denmark) 7

New parental cell lines for generating human hybridomas
T. Hundhausen, R. Laus and W. Müller-Ruchholtz (Germany) 21

A comparison of commercially available adjuvants for use in research
B. Bennett, I.J. Check, M.R. Olsen and R.L. Hunter (USA) 31

A monoclonal antibody-based enzyme immunoassay for human GMP-140/P-selectin
M. Katayama, M. Handa, H. Ambo, Y. Araki, S. Hirai, I. Kato, Y. Kawai and K.W.Y. Ikeda (Japan) 41

Increased production of antigen-specific B lymphocytes during in vitro immunization using carrier-specific T helper hybridomas
B.M. Schilizzi, B.-J. Kroesen, T.H. The and L. De Leij (Netherlands) 49

Apoptosis in interleukin-3-dependent haemopoietic cells. Quantification by two flow cytometric methods
M.G. Ormerod, M.K.L. Collins, G. Rodriguez-Tarduchy and D. Robertson (UK) 57

Detection of lipopolysaccharide (LPS) and identification of its serotype by an enzyme-linked immunosorbent assay (ELISA) using poly-L-lysine
K. Takahashi, M. Fukada, M. Kawai and T. Yokochi (Japan) 67

An improved and rapid method for the isolation of rat lymph node or spleen T lymphocytes for T cell proliferation assays
C.E.G. Havenith, A.J. Breedijk, M.A.M. Verdaasdonk, E.W.A. Kamperdijk and R.H.J. Beelen (Netherlands) 73

A simple standardised protocol for the production of monoclonal antibodies against viral and bacterial antigens
P.V. Coyle, D. Wyatt, C. McCaughey and H.J. O'Neill (UK) 81

A monoclonal antibody recognising an epitope associated with pig interleukin-2 receptors
M. Bailey, K. Stevens, P.W. Bland and C.R. Stokes (UK) 85

A cleavable biotinylating agent and its use in protein electroblots
M.J. Hobart, B.A. Fernie and P.J. Lachmann (UK) 93

Determination of IgE antibodies to the benzyl penicilloyl determinant. A comparison between poly-L-lysine and human serum albumin as carriers
M. Blanca, C. Mayorga, E. Perez, R. Suau, C. Juarez, J.M. Vega, M.J. Carmona, M. Perez-Estrada and J. Garcia (Spain) 99

Amplified ELISPOT assay for the detection of HIV-specific antibody-secreting cells in subhuman primates
K. Eriksson, I. Nordström, P. Horal, S. Jeansson, B. Svennerholm, A. Vahlne, J. Holmgren and C. Czerkinsky (Sweden) 107

Measuring cytokine levels in blood. Importance of anticoagulants, processing, and storage conditions
P.W. Thavasu, S. Longhurst, S.P. Joel, M.L. Slevin and F.R. Balkwill (UK) 115

Influence of collection and separation of blood samples on plasma IL-1, IL-6 and TNF-α concentrations
P. Riches, R. Gooding, B.C. Millar and A.W. Rowbottom (UK) 125

A simple and economical strategy for downstream processing of specific antibodies to human transferrin from egg yolk
V. Ntakarutimana, P. Demedts, M. Van Sande and S. Scharpé (Belgium) 133

Cellular enzyme-linked immunocircle assay. A rapid assay of hybridomas produced against cell surface antigens
P. Balogh, Z. Bebök and P. Németh (Hungary) 141

The measurement of transforming growth factor type β (TGFβ) levels produced by peripheral blood mononuclear cells requires the efficient elimination of contaminating platelets
J. Merino, J.A. Casado, J. Cid, A. Sánchez-Ibarrola and M.L. Subirá (Spain) 151

Comparison of selected protocols for the generation of IgA isotype monoclonal antibodies against the gut parasite, *Eimeria tenella*
J.A. Hoare and A.J. Trees (UK) 161

A comparison of specific IgG antibody levels to the cell wall mannan of *Candida albicans* in normal individuals and in patients with primary antibody deficiency
J.A. Faux, A.E. Agbarakwe, S.A. Misbah and H.M. Chapel (UK) 167

Specificity of three anti-complement factor 3 monoclonal antibodies
S. Henwick, S.V. Hetherington and M.K. Hostetter (USA) 173

Detection of fecal blood by colloidal gold agglutination using an anti-human hemoglobin monoclonal antibody
M. Nagata and T. Tanaka (Japan) 185

In vivo primary induction of virus-specific CTL by immunization with 9-mer synthetic peptides
X. Zhou, L. Berg, U.M.A. Motal and M. Jondal (Sweden) 193

Monocyte proliferation in a cytokine-free, serum-free system
S. Bennett, S.B. Por, E.R. Stanley and S.N. Breit (Australia, USA) 201

An ultrasensitive system to detect IL-4: enzyme-linked immunosorbent assay (ELISA) combined with an avidin-biotin and enzyme amplification system
T. Ishizuka, M. Kawagoe, K. Suzuki, M. Hara, M. Harigai, M. Kawakami, Y. Kawaguchi, T. Hidaka, Y. Matsuki, N. Tanaka, A. Kitani and H. Nakamura (Japan) 213

^{13}C-NMR spectral analysis of the structures of mouse immunoglobulin G1 carrying allotypes a and j
H.H. Kim, K. Kato, A. Higuchi, N. Nomura, H. Noguchi and Y. Arata (Japan) 223

Effective method for synthetic peptide immobilization that increases the sensitivity and specificity of ELISA procedures
V.S. Ivanov, Z.K. Suvorova, L.D. Tchikin, A.T. Kozhich and V.T. Ivanov (Russia) 229

A statistical model and computer program to estimate association constants for the binding of fluorescent-labelled monoclonal antibodies to cell surface antigens and to interpret shifts in flow cytometry data resulting from alterations in gene expression
W.G. Bardsley, A. Ross Wilson, E.K. Kyprianou and E.M. Melikhova (UK, USSR) 235

Immunoglobulin V_H usage analysis by fluorescent in situ hybridization and flow cytometry
K.S. Ravichandran, A.R. Semproni, R.A. Goldsby and B.A. Osborne (USA) 249

Software notices

PROBIT: weighted probit regression analysis for estimation of biological activity
M. Bailey, N.A. Williams, A.D. Wilson and C.R. Stokes (UK) 261

Calculation of antibody and antigen concentrations from ELISA data using a graphical method
G.P.S. Raghava, A.K. Joshi and J.N. Agrewala (India) 263

Letter to the editors

A new MTT assay for examining the cytotoxicity of activated macrophages towards the non-adherent P388 leukaemia cell line
H. Jiao, Y. Soejima, Y. Ohe and N. Saijo (China, Japan) 265

Book review 267

Contents to volume 153 (1992) 268

Notes to authors 270